

GS

## Drywall to Steel Screw

*Used indoors for fixing drywall boards to steel joists with a maximum thickness of 1.0 mm. A zinc plated screw is extra sharp and thereby cuts into the base material quickly and effectively. The duplex head prevents the paper on the drywall board from tearing when fastening.*

## Ominaisuudet

### Features

- PH drive
- Duplex head
- Sharp point
- Twin thread

## Sovellus

### Suitable for

- Drywall to timber.
- Drywall to steel.



GS  
Drywall to Steel Screw

## Technical Data

Mitat



Tuotenro	Tuotenumero	Mitat [mm]				
		d	l	d <sub>h</sub>	l <sub>g</sub>	Bit
GS3.5X25 EG	74316	3.5	25	8.2	20.5	PH2
GS3.5X38 EG	74317	3.5	38	8.2	33.5	PH2

GS Electro Galvanised - Collated

Tuotenro	Tuotenumero	DB nr.	NOBB nr.	Mitat [mm]						Qty/box
				d	l	d <sub>h</sub>	d <sub>1</sub>	l <sub>g</sub>	Bit	
GS3.5X25 EG Collated	75714	2056061	55836412	3.5	25	8.2	2.2	20.5	PH2	1000
GS3.5X38 EG Collated	75713	2056060	55836404	3.5	38	8.2	2.2	33.5	PH2	1000

\* Flat tape collated for standard auto-feed screwdrivers

GS Phosphate Coating



Tuotenro	Tuotenumero	DB nr.	NOBB nr.	Mitat [mm]						Qty/box
				d	l	d <sub>h</sub>	d <sub>1</sub>	l <sub>g</sub>	Bit	
GS3.5X25 PH	74342	1949858	53292472	3.5	25	8.2	2.2	20.5	PH2	1000
GS3.5X38 PH	74343	1949859	53292483	3.5	38	8.2	2.2	33.5	PH2	1000
GS3.9X55 PH	74345	1949861	53292502	3.9	55	8.2	2.4	49.5	PH2	500
GS3.9X75 PH	74346	1949862	53292517	3.9	75	8.2	2.4	50	PH2	250

GS Phosphate Coating - Collated

Tuotenro	Tuotenumero	DB nr.	NOBB nr.	Mitat [mm]						Qty/box
				d	l	d <sub>h</sub>	d <sub>1</sub>	l <sub>g</sub>	Bit	
GS3.5X25 PH Collated	74328	1949855	53292521	3.5	25	8.2	2.2	20.5	PH2	1000
GS3.5X38 PH Collated	74329	1949856	53292540	3.5	38	8.2	2.2	33.5	PH2	1000
GS3.5X55 PH Collated	74753	1956537	53367841	3.9	55	8.2	2.4	49.5	PH2	1000

\* Flat tape collated for standard auto-feed screwdrivers

GS

**Drywall to Steel Screw**

Simpson Strong-Tie / Gbo Fastening Systems AB  
Bruksvägen 2, 593 75 Gunnebo  
tel: 0490-300 00  
fax : 0490-233 00

GS  
**Drywall to Steel Screw**

Copyright by Simpson Strong-Tie®  
Tämän materiaalin tiedot ovat yksinomaan Simpson Strong-Tie:n © omaisuutta  
Tiedot ovat voimassa ja käytettävissä ainoastaan Simpson –Strong-Tie:n © tuotteita käytettäessä.

2023-07-14

[www.strongtie.fi](http://www.strongtie.fi)